


Zestawienie studzienek Ø 1200 w zlewni przepompowni P-3

L_P S	SCHEMAT POŁĄCZ.	N ₁	N ₂	N ₃	N ₄	D ₁	D ₂	D ₃	H	H ₁	H ₂	PODST. Ø 1200 MM	KRAĞ. Ø 1200 h=300	KRAĞ. Ø 1200 h=500	KRAĞ. Ø 1200 h=1000	PLYTA Ø 1200 MM	Pierścień		
		MNPM	MNPM	MNPM	MNPM	MM	MM	MM	CM	CM	CM	MM	MM	MM	MM	MM	17	18	19
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
3.1	W ODRĘBNYM ZESTAWIENIU (studzienka z kręgów Ø 1400)																		
3.2		182.30	179.13	---	---	200	200	---	317	199	19	1	1	1	1	1	2	1	
3.3		181.90	179.24	---	---	200	200	---	266	148	---	1	---	1	1	1	---	---	
3.4		182.00	179.32	---	---	200	200	---	268	150	---	1	---	1	1	1	---	---	
3.5		182.10	179.38	---	---	200	200	---	272	154	4	1	---	1	1	1	1	---	
3.6		182.55	179.49	---	---	200	200	---	306	188	8	1	1	1	1	1	---	1	


3.7		182.10	179.66	--	--	200	200	--	245	127	7	1	4	--	--	1	--	1	1	1
3.8		182.20	179.86	--	--	200	200	--	234	116	16	1	--	--	1	1	--	1	1	2
3.9		182.20	179.98	--	--	200	200	--	222	104	4	1	--	--	1	1	1	1	1	---
3.10		181.50	180.20	--	--	200	200	--	130	12	12	1	--	--	--	1	1	1	1	1
3.11		182.50	180.32	--	--	200	200	--	218	100	--	1	--	--	1	1	1	1	1	---
3.12	W ODRĘBNYM ZESTAWIENIU (studzienka z kręgów Ø 1400)																			
3.13		183.45	180.52	--	--	200	200	--	293	175	15	1	2	--	1	1	1	1	1	3
3.14		182.90	180.61	--	--	200	200	--	229	111	11	1	--	--	1	1	1	1	1	1

3.15		183.06	180.75	--	--	200	200	200	--	230	112	12	1	--	--	1	1	1	1	1
3.16		183.35	180.83	--	--	200	200	200	--	250	132	2	1	1	1	1	1	1	1	--
3.17		183.60	180.93	--	--	200	200	200	--	267	149	--	1	--	1	1	1	1	1	--
3.18		183.10	181.06	--	--	200	200	200	--	204	86	6	1	1	1	--	1	1	1	--
3.19		183.00	181.15	--	--	200	200	200	--	185	67	7	1	2	--	--	1	1	1	1
3.20		182.50	181.33	--	--	200	200	200	--	117	--	--	1	--	--	--	1	1	1	--
3.21		182.85	181.39	--	--	200	200	200	--	146	28	28	1	1	1	--	1	1	1	--
3.22		183.60	181.51	--	--	200	200	200	--	209	91	1	1	3	--	--	1	1	1	--


3.23		183.55	181.55	---	---	200	200	200	---	200	200	200	82	2	1	1	1	1	---	1	---	---
3.24		183.50	181.58	---	---	200	200	200	---	200	200	200	74	14	1	2	---	---	1	---	3	---
3.25		183.15	181.65	---	---	200	200	200	---	200	200	200	32	2	1	1	---	---	1	---	---	---
3.26		183.23	181.73	---	---	200	200	200	---	200	200	200	32	2	1	1	---	---	1	---	---	---
3.27		183.30	181.80	---	---	200	200	200	---	200	200	200	32	2	1	1	---	---	1	---	---	---
3.28		186.10	184.30	184.60	---	200	200	200	---	200	200	200	62	2	1	2	---	---	1	---	---	---
3.29		188.10	186.40	186.60	---	200	200	200	---	200	200	200	52	2	1	---	1	---	1	---	---	---
3.30		190.10	188.50	---	---	200	200	200	---	200	200	200	42	12	1	1	---	---	1	---	1	1

3.31		192.10	190.50	---	---	200	200	---	160	42	12	1	1	---	---	1	1	1	1
3.32		186.10	182.80	---	---	200	200	---	230	112	12	1	---	---	1	1	1	1	1
3.33		186.60	183.50	---	---	200	200	---	210	92	2	1	3	---	---	1	---	---	---
3.34		186.30	184.05	---	---	200	200	---	225	107	7	1	---	---	1	1	---	---	1
3.35		186.50	184.10	---	---	200	200	---	240	122	2	1	4	---	---	1	---	---	---
3.36		186.30	184.20	---	---	200	200	---	210	92	2	1	3	---	---	1	---	---	---
3.37		186.30	184.58	---	---	200	200	---	172	54	4	1	---	1	---	1	1	1	---
3.38		186.60	184.91	---	---	200	200	---	169	51	1	1	---	1	---	1	---	---	---

3.39		187.10	185.40	---	---	200	200	---	---	170	52	2	1	---	1	---	1	---	---
3.40		187.65	186.06	---	---	200	200	---	---	160	42	12	1	---	---	1	---	1	---
3.41		188.00	186.40	---	---	200	200	---	---	160	42	12	1	---	---	1	---	1	---
3.42		188.30	186.60	---	---	200	200	---	---	170	52	2	1	---	1	---	1	---	---
3.43		188.97	187.37	---	---	200	200	---	---	160	42	12	1	---	---	1	---	1	---
3.44		189.70	188.10	---	---	200	200	---	---	160	42	12	1	---	---	1	---	1	---
3.45		191.60	190.10	---	---	200	200	---	---	150	32	---	1	---	---	1	---	1	---
3.46		194.10	192.20	191.90	---	200	200	---	---	220	102	2	1	---	---	1	---	1	---


3.47		194.10	192.54	---	---	---	---	200	200	---	156	38	8	1	1	1	---	1	---	1	---	1
3.48		194.60	192.70	---	---	---	---	200	---	---	190	72	2	1	2	---	---	1	---	---	---	---
3.49		189.10	187.40	---	---	---	---	200	---	---	170	52	2	1	---	1	---	1	---	---	---	---
3.50		184.90	182.99	---	---	---	---	200	200	---	191	73	13	1	2	---	---	1	---	---	---	1
3.51		184.80	183.10	---	---	---	---	200	200	---	170	62	2	1	---	1	---	1	---	---	---	---
3.52		186.10	184.40	---	---	---	---	200	200	---	170	62	2	1	---	1	---	1	---	---	---	---
3.53		190.70	188.30	---	---	---	---	200	200	---	240	122	2	1	4	---	---	1	---	---	---	---
3.54	W ODRĘBNYM ZESTAWIENIU (studzienka TEGRA Ø 600)																					

3.55		190.10	188.60	---	---	200	---	200	---	160	32	2	1	1	---	---	1	---	---
3.56		190.80	189.06	---	---	200	---	200	---	174	66	6	1	---	1	---	1	---	---
3.57		190.85	189.25	---	---	200	---	200	---	160	42	12	1	1	---	---	1	---	---
3.58	W ODRĘBNYM ZESTAWIENIU (studzienka TEGRA Ø 600)																		
3.59		192.55	190.85	---	---	200	---	---	---	170	52	2	1	---	1	---	1	---	---
3.60		182.90	181.08	---	---	200	---	200	---	182	64	4	1	3	---	---	1	---	---
3.61	W ODRĘBNYM ZESTAWIENIU (studzienka TEGRA Ø600)																		
3.62	W ODRĘBNYM ZESTAWIENIU (studzienka z kręgów Ø 1400)																		

3.71		195.50	193.90	---	---	---	200	200	---	160	42	12	1	1	1	---	1	1	1	1
3.72		196.02	194.40	---	---	200	200	---	162	44	14	1	1	1	---	1	1	1	1	1
3.73		198.00	196.30	---	---	200	200	---	170	52	2	2	---	1	---	1	---	1	---	---
3.74		198.30	196.60	---	---	200	---	200	---	170	52	2	1	---	1	---	1	---	---	---
3.75		185.60	183.35	---	---	200	200	---	225	107	7	7	1	---	1	---	1	1	1	---
3.76		185.10	183.50	---	---	200	200	---	160	42	12	12	1	1	---	---	1	1	1	1
3.77		184.95	183.55	---	---	200	---	200	---	140	22	22	1	1	---	---	1	3	1	1
3.78		186.25	184.34	---	---	200	200	---	191	73	13	13	1	2	---	---	1	1	1	1

3.79		186.75	184.43	---	---	200	200	---	232	114	4	1	2	1	---	1	1	---
3.80		187.00	184.60	---	---	200	200	---	240	122	12	1	2	1	---	1	1	---
3.81		186.55	184.71	---	---	200	200	---	184	66	6	1	2	---	---	1	1	---
3.82		186.30	184.90	---	---	200	200	---	140	22	22	1	---	---	---	1	4	---
3.83		188.50	186.90	---	---	200	200	---	160	42	12	1	3	---	---	1	1	---
3.84		189.00	187.40	---	---	200	200	---	160	42	12	1	3	---	---	1	1	---
3.85		191.00	189.40	---	---	200	200	---	160	42	12	1	3	---	---	1	1	---
3.86		192.00	190.40	---	---	200	200	---	160	42	12	1	3	---	---	1	1	---

3.87		192.80	191.20	---	---	200	200	---	160	42	12	1	3	---	---	1	1	1
3.88		193.80	192.20	192.60	---	200	200	---	160	42	12	1	3	---	---	1	1	1
3.89		196.50	193.20	---	---	200	200	---	230	112	12	1	---	---	1	1	1	1
3.90		196.30	193.60	---	---	200	---	---	170	62	2	1	---	1	---	1	---	---
3.91		188.60	186.90	---	---	200	200	---	160	42	12	1	1	---	---	1	1	1
3.92		189.00	187.40	---	---	200	200	---	160	42	12	1	1	---	---	1	1	1
3.93		193.00	191.30	---	---	200	---	---	170	62	2	1	---	1	---	1	---	---
3.94		182.75	170.91	---	---	200	200	---	284	116	6	1	2	1	---	1	1	---

3.95		182.67	180.05	---	---	200	200	---	200	200	---	262	144	14	1	1	1	---	1	1	3	---
3.96		182.60	180.08	---	---	200	200	---	200	200	---	252	134	4	1	1	1	---	1	1	1	---
3.97		182.35	180.16	---	---	200	200	---	200	200	---	219	101	1	1	---	1	---	1	1	---	---
3.98		182.40	180.28	180.73	---	200	200	---	200	200	200	222	104	4	1	---	1	---	1	1	1	---
3.99		182.30	180.37	---	---	200	200	---	200	200	---	203	85	5	1	1	1	---	1	1	1	---
3.100		182.60	180.50	---	---	200	200	---	200	200	---	210	92	2	1	3	---	---	1	1	---	---
3.101		182.40	180.71	---	---	200	200	---	200	200	---	169	51	1	1	---	1	---	1	1	---	---
3.102		182.20	180.76	---	---	200	200	---	200	200	---	144	26	26	1	---	1	---	1	1	5	---

3.103		182.40	180.86	---	---	---	200	200	---	154	36	6	1	1	---	---	1	1	---	
3.104		183.40	181.06	---	---	---	200	200	---	235	117	7	1	2	1	---	---	1	1	---
3.105		182.80	181.15	---	---	---	200	200	---	165	47	17	1	1	---	---	---	1	2	1
3.106		183.40	181.26	---	---	---	200	200	---	214	96	6	1	3	---	---	---	1	1	---
3.107		183.40	181.33	---	---	---	200	200	---	207	89	9	1	1	1	---	---	1	---	1
3.108		184.00	181.46	---	---	---	200	200	---	254	136	6	1	1	---	---	---	1	1	5
3.109		184.65	181.58	---	---	---	200	200	---	307	189	9	1	1	1	---	---	1	1	1
3.110		183.60	181.71	---	---	---	200	200	---	189	71	11	1	2	---	---	---	1	1	2

3.111		183.65	181.94	---	---	200	200	---	171	53	3	1	---	1	---	1	---	---
3.112		184.05	182.00	---	---	200	200	---	205	87	7	1	1	1	---	1	---	1
3.113		184.40	182.04	182.49	---	200	200	---	236	118	8	1	2	1	---	1	---	1
3.114		184.60	182.19	---	---	200	200	---	241	123	13	1	2	1	---	1	---	1
3.115		184.30	182.30	---	---	200	200	---	200	82	2	1	1	1	---	1	---	---
3.116		184.60	182.40	---	---	200	200	---	220	102	2	1	---	---	1	1	---	---
3.117		184.30	182.49	---	---	200	200	---	181	63	3	1	2	---	---	1	---	---
3.118		184.02	182.57	---	---	200	200	---	145	27	---	1	1	---	---	1	---	---

3.119		184.30	182.65	---	---	200	200	---	155	37	7	1	1	---	---	1	---	1
3.120		184.66	182.79	---	---	200	200	---	186	68	8	1	2	---	---	1	---	1
3.121		184.50	182.90	---	---	200	200	---	160	42	12	1	1	---	---	1	---	1
3.122		184.80	183.16	---	---	200	200	---	164	46	16	1	1	---	---	1	---	2
3.123		186.70	184.92	---	---	200	200	---	188	70	10	1	2	---	---	1	---	2
3.124		187.85	185.85	---	---	200	200	---	200	82	2	1	1	1	---	---	1	---
3.125		187.85	186.02	---	---	200	200	---	183	65	5	1	2	---	---	1	---	1
3.126		187.85	186.20	---	---	200	200	---	165	47	17	1	1	---	---	1	---	2

3.127		188.15	186.58	---	---	200	200	---	200	200	---	157	39	9	1	1	1	---	1	---	1	---	1
3.128		188.66	186.68	---	---	200	200	---	200	200	---	197	79	---	1	1	1	---	1	---	1	---	---
3.129		188.70	186.79	187.09	---	200	200	200	200	200	---	191	73	---	1	1	1	---	1	---	1	---	---
3.130		188.80	187.11	---	---	200	200	---	200	200	---	169	51	1	1	---	1	---	1	---	1	---	---
3.131		189.40	187.50	---	---	200	200	---	200	200	---	190	72	---	1	1	1	---	1	---	1	---	---
3.132		189.40	187.70	---	---	---	200	---	200	---	---	170	52	2	1	---	1	---	1	---	1	---	---
3.133		191.00	188.58	188.58	---	200	200	200	200	200	---	242	124	4	1	4	---	---	1	---	1	1	---
3.134		191.20	189.03	189.03	---	200	200	200	200	200	---	217	99	9	1	3	---	---	1	---	1	---	1

3.135		191.60	189.35	---	---	---	200	200	---	225	107	7	1	---	---	1	1	---	1
3.136		191.50	189.40	---	---	200	200	---	210	92	2	2	1	3	---	---	1	---	---
3.137		191.69	189.57	---	---	200	200	---	212	94	2	2	1	3	---	---	1	1	---
3.138		191.74	189.66	---	---	200	200	---	208	90	---	---	1	3	---	---	1	---	---
3.139		191.86	189.87	---	---	200	200	---	198	80	---	---	1	1	1	---	1	---	---
3.140		191.90	190.17	---	---	200	200	---	173	55	5	5	1	---	1	---	1	1	---
3.141		192.20	190.50	---	---	200	---	---	170	52	2	2	1	---	1	---	1	---	---
3.142		191.30	189.30	---	---	200	---	---	200	82	2	2	1	1	1	---	1	---	---

3.143		190.60	188.65	---	---	200	200	---	195	77	17	1	2	---	1	---	1	2	1
3.144		190.60	188.73	---	---	200	200	---	187	69	9	1	2	---	1	---	1	---	1
3.145		190.60	188.91	---	---	200	200	---	169	61	1	1	---	1	---	1	---	---	---
3.146		190.80	189.21	---	---	200	---	---	159	41	11	1	1	---	1	---	1	2	---
3.147		185.55	183.55	---	---	200	200	---	200	82	2	1	1	1	---	1	---	---	---
3.148		186.70	184.70	---	---	200	200	---	200	82	2	1	1	1	---	1	---	---	---
3.149		187.80	185.70	185.80	---	200	200	200	210	92	---	1	3	---	1	---	1	---	---
3.150	W ODRĘBNYM ZESTAWIENIU (studzienka z kręgów Ø 1400)																		

3.151		191.90	189.62	---	---	200	200	---	228	110	10	1	---	---	1	1	5	---
3.152		192.40	189.95	---	---	200	200	---	245	127	7	1	4	---	---	1	---	8
3.153		192.65	190.19	---	---	200	200	---	246	128	8	1	4	---	---	1	---	1
3.154		192.70	190.29	---	---	200	200	---	241	123	3	1	4	---	---	1	---	---
3.155		192.55	190.45	---	---	200	200	---	210	92	2	1	3	---	---	1	---	---
3.156		192.40	190.70	---	---	200	---	---	170	52	2	1	---	1	---	1	---	---
3.157		192.50	190.30	---	---	200	200	---	220	102	2	1	---	---	1	1	---	---
3.158		192.60	190.35	---	---	200	200	---	225	107	7	1	---	---	1	1	---	1

W ODRĘBNYM ZESTAWIENIU (studzienka TEGRA Ø 600)																					
W ODRĘBNYM ZESTAWIENIU (studzienka TEGRA Ø 600)																					
W ODRĘBNYM ZESTAWIENIU (studzienka TEGRA Ø 600)																					
3.169		188.00	186.03	---	---	---	---	---	200	200	---	197	79	---	1	1	1	---	1	---	---
3.163		188.10	186.40	---	---	---	---	200	---	---	170	62	2	1	---	1	---	1	---	---	---
3.164		187.85	186.75	---	---	---	---	200	200	---	210	92	2	1	3	---	---	1	---	---	---
3.165		187.55	186.05	---	---	---	---	200	200	---	150	32	---	1	1	---	1	1	1	---	---
3.166		183.90	182.20	---	---	---	---	200	---	---	170	52	2	1	---	1	---	1	---	---	---

U W A G A - Przy zamawianiu w betoniarni prefabrykowanych podstaw studzienek, kąty wejścia przewodów i lokalizację przejść szczelnych podać po ostatecznym wytyczeniu geodezyjnym tras kanałów w terenie.